




Panhandle Health District Epidemiology Disease Bulletin

March 2025

Disease	2021	2022	2023	2024	2025
2019-nCoV	28605	19579	2571	853	165
Aseptic meningitis		1	5	18	3
Botulism, foodborne					
Botulism, infant					
Botulism, wound		1			
Campylobacteriosis	30	32	36	48	8
Chlamydia	542	560	557	495	112
Cryptosporidiosis	1	10	14	6	
Elevated Blood Lead	66	92	79	82	4
Giardiasis	8	9	12	11	1
Gonorrhea	111	137	108	72	12
Group A Strep, invasive	7	7	14	20	5
Haemophilus influenzae, invasive	6	7	6	4	2
Hepatitis A		3	3		
Hepatitis B	9	14	15	13	1
Hepatitis C	233	166	141	131	25
HIV	8	10	5	5	1
Influenza	2	17	419	1687	1526
Legionellosis	2	4	4	7	1
Lyme disease	3	6	5	2	
Malaria		1			
Mpox (Monkeypox)		1			
Mumps			1	1	1
Neisseria meningitidis, invasive (Mening. disease)	1				1
Noroviruses	2		25	58	18
Pertussis	1	3	5	372	59
Rabies, Human				1	
Respiratory syncytial virus (RSV)	384	362	184	196	458
S. aureus, coag+, meth- or oxi- resistant (MRSA)	26	22	32	30	12
Salmonellosis (excl S. Typhi and S. Paratyphi)	18	16	49	31	7
Shiga toxin-producing Escherichia coli (STEC)	5	10	4	28	6
Shigellosis	2	2	8	7	2
Spotted Fever Rickettsiosis	1	3	3		
Streptococcal toxic-shock syndrome			1		
Streptococcus pneumoniae, invasive disease (IPD)	7	12	9	1	
Syphilis, non-congenital	30	56	49	34	7
Tetanus				1	1
Tuberculosis		1	4	6	
Yersinosis	1	2	6	2	2
Zika virus disease, non-congenital			1		



Notes:

Respiratory Illnesses are decreasing in Idaho – It is still best to [wash your hands frequently](#), [practice safe coughing and sneezing etiquette](#), and [stay home when you are sick](#).

Backyard poultry- Backyard poultry can spread bird flu, campylobacter, E. Coli, histoplasmosis and salmonella. It is important to ensure proper care and hygiene when raising backyard poultry. Things that you can do to prevent the spread of illness is washing your hands with soap and water after interacting with the poultry or the areas in which they live. Keep material such as food containers or equipment separated from living or eating areas of your home. Refrain from putting poultry near your face. Also handle, storage, wash and cook farm fresh eggs safely to prevent the spread of disease. For more information please visit [Backyard Poultry | Healthy Pets, Healthy People | CDC](#)

Food safety for farm fresh eggs –

Unbroken, clean or fresh shell eggs may contain salmonella. Salmonella contamination can happen during egg development, as the egg exits the hens body, and after the egg is laid through the pore on the shell. Cook eggs until both the yolk and white are firm. Egg dishes should be cooked to an internal temperature of 160°F (71°C) or hotter. Raw and undercooked eggs may contain *Salmonella* bacteria that can make you sick. For more information please visit the USDA's [Shell Eggs from Farm to Table](#)

It's tick season – Northern Idaho is home to a variety of ticks, which can carry and transmit diseases. For more information about ticks, including images for identification and tips for preventing and getting rid of ticks, please see [this guide](#) from the University of Idaho.

Current Outbreaks:

Pertussis